








Section A-A



Material:






- 1.Housing Zinc Alloy, Trivalent Chromium plating, Ø9.00mm
- 2.Screw:Iron, Nickel Plated,#4-40 UNC L=14.80mm
- 3.Square Gashets: Iron,Nickel Plated,Thickness 0.55mm
- 4.Screw Cap:Iron,Nickel Plated
- 5.M3.0x12.5mm Screw:Iron,Nickel Plated

| UNITS:mm | SHEET SIZE: A4 | SCALE:--- | DRWN BY PAN | D-SUB Metal Hood,09 Pin,Short Screw |                            |
|----------|----------------|-----------|-------------|-------------------------------------|----------------------------|
| 0~3      | 3~18           | 18~50     | 50~120      | CHK'D BY FENG                       | THIRD ANGLE PROJECTION<br> |
| ±0.12    | ±0.15          | ±0.3      | ±0.5        | APPR BY ZHAN                        |                            |







NINGBO RHT ELECTRONIC CO.,LTD

RHTAYBF-09P-S




Section A-A




Material:

- 1.Housing Zinc Alloy, Trivalent Chromium plating,
- 2.4x44mm Screw:#4-40 UNC,Iron, Nickel Plated
- 3.Square Gaskets: Iron,Nickel Plated,Thickness 0.45mm
- 4.Screw Cap:M3.0 Iron,Nickel Plated
- 5.M3.0x12.5mm Screw:Iron,Nickel Plated

| UNITS:mm | SHEET SIZE: A4 |       |        |  | SCALE:---     | DRWN BY PAN | D-SUB Metal Hood,09 Pin,Long Screw |  |
|----------|----------------|-------|--------|--|---------------|-------------|------------------------------------|--|
| 0~3      | 3~18           | 18~50 | 50~120 |  | CHK'D BY FENG |             |                                    |  |
| ±0.12    | ±0.15          | ±0.3  | ±0.5   |  | APPR BY ZHAN  |             |                                    |  |






RHTAYBF-09P-L



NINGBO RHT ELECTRONIC CO.,LTD

| UNITS:mm |       | SHEET SIZE: A4 |        | SCALE:---     |             |
|----------|-------|----------------|--------|---------------|-------------|
| 0~3      | 3~18  | 18~50          | 50~120 | CHK'D BY FENG | DRWN BY PAN |
| ±0.12    | ±0.15 | ±0.3           | ±0.5   | APPR BY ZHAN  |             |

|                                     |               |
|-------------------------------------|---------------|
| D-SUB Metal Hood,15 Pin,Short Screw |               |
| THIRD ANGLE PROJECTION              | RHTAYBF-15P-S |



Material:

1.Housing Zinc Alloy, Trivalent Chromium plating,





2.4x44mm Screw: #4-40 UNC, Iron, Nickel Plated

3.Square Gaskets: Iron, Nickel Plated, Thickness 0.45mm

4.#Screw Cap: #4-40 Iron UNC, Nickel Plated

5.#4x12.5mm Screw: #4-40 UNC Iron, Nickel Plated

6.Unnoted Tolerance:  $\pm 0.3\text{mm}$







RHTECP® NINGBO RHT ELECTRONIC CO.,LTD





| UNITS:mm   | SHEET SIZE: A4 |           |           | SCALE:--- |
|------------|----------------|-----------|-----------|-----------|
| 0~3        | 3~18           | 18~50     | 50~120    |           |
| $\pm 0.12$ | $\pm 0.15$     | $\pm 0.3$ | $\pm 0.5$ |           |

|               |
|---------------|
| DRWN BY PAN   |
| CHK'D BY FENG |
| APPR BY ZHAN  |

|                                      |               |
|--------------------------------------|---------------|
| D-SUB Metal Hood, 15 Pin, Long Screw |               |
| THIRD ANGLE PROJECTION               | RHTAYBF-15P-L |



Section A-A



Material:

- 1.Housing Zinc Alloy, Trivalent Chromium plating,
- 2.#4-40 UNC Screw:Iron, Nickel Plated.
- 3.Square Gaskets: Iron,Nickel Plated,
- 4.#4-40 UNC Screw Cap:Iron,Nickel Plated
- 5.#4x13.5mm Screw:Iron,Nickel Plated
- 6.Unnoted Tolerance:±0.3mm

**RHTECP** NINGBO RHT ELECTRONIC CO.,LTD

| UNITS:mm | SHEET SIZE: A4 |       |        | SCALE:--- |
|----------|----------------|-------|--------|-----------|
| 0~3      | 3~18           | 18~50 | 50~120 |           |
| ±0.12    | ±0.15          | ±0.3  | ±0.5   |           |

DRWN BY PAN

CHK'D BY FENG





APPR BY ZHAN

D-SUB Metal Hood,25 Pin,Short Screw



THIRD ANGLE PROJECTION





RHTAYBF-25P-S



Section A-A



Material:  
 1.Housing Zinc Alloy, Trivalent Chromium plating,  
 2.#4-44 UNC Screw:Iron, Nickel Plated.  
 3.Square Gashets: Iron,Nickel Plated,  
 4.#-40 UNC Screw Cap:Iron,Nickel Plated  
 5.#4x13.5mm Screw:Iron,Nickel Plated  
 6.Unnoted Tolerance:±0.3mm












NINGBO RHT ELECTRONIC CO.,LTD

| UNITS:mm | SHEET SIZE: A4 |       |        | SCALE:--- |
|----------|----------------|-------|--------|-----------|
| 0~3      | 3~18           | 18~50 | 50~120 |           |
| ±0.12    | ±0.15          | ±0.3  | ±0.5   |           |

DRWN BY PAN  
 CHK'D BY FENG  
 APPR BY ZHAN

D-SUB Metal Hood,25 Pin,Long Screw  
 THIRD ANGLE PROJECTION  
 RHTAYBF-25P-L



Material:

- 1.Housing Zinc Alloy, Trivalent Chromium plating,
- 2.#4-40 UNC Screw:Iron, Nickel Plated.
- 3.Square Gaskets: Iron,Nickel Plated,
- 4.#-40 UNC Screw Cap:Iron,Nickel Plated
- 5.#4x13.5mm Screw:Iron,Nickel Plated
- 6.Unnoted Tolerance:±0.3mm

**RHTECP** NINGBO RHT ELECTRONIC CO.,LTD










| UNITS:mm | SHEET SIZE: A4 |       |        | SCALE:--- |
|----------|----------------|-------|--------|-----------|
| 0~3      | 3~18           | 18~50 | 50~120 |           |
| ±0.12    | ±0.15          | ±0.3  | ±0.5   |           |

DRWN BY PAN  
CHK'D BY FENG  
APPR BY ZHAN

D-SUB Metal Hood,37 Pin,Short Screw



RHTAYBF-37P-S



Material:

- 1.Housing Zinc Alloy, Trivalent Chromium plating,
- 2.#4-44 UNC Screw:Iron, Nickel Plated.
- 3.Square Gashets: Iron,Nickel Plated,
- 4.#4-40 UNC Screw Cap:Iron,Nickel Plated
- 5.#4x13.5mm Screw:Iron,Nickel Plated
- 6.Unnoted Tolerance:±0.3mm

**RHTECP** NINGBO RHT ELECTRONIC CO.,LTD

| UNITS:mm | SHEET SIZE: A4 |       | SCALE:--- |
|----------|----------------|-------|-----------|
| 0~3      | 3~18           | 18~50 | 50~120    |
| ±0.12    | ±0.15          | ±0.3  | ±0.5      |


DRWN BY PAN

CHK'D BY FENG

APPR BY ZHAN

D-SUB Metal Hood,37 Pin,Long Screw

THIRD ANGLE PROJECTION



RHTAYBF-37P-L