







Washer 1			
ITEM	A	B	C
9PIN	Ø16.6	Ø11.5	1.20
15PIN	Ø16.6	Ø12.5	1.20
25PIN	Ø17.6	Ø13.5	1.20
37PIN	Ø18.6	Ø14.5	1.20
50PIN	Ø21.6	Ø17.3	1.20

Body:Glass filled thermoplastic.
 Flame retardant to UL 94V-0,Color black.
 Screws:Brass 100u" min sn over 50u" min nickel.
 Climatic:Temperature range -55°C~85°C.
 Waterproof rate:IP67



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm		SHEET SIZE: A4		SCALE:---	
0~3	3~18	18~50	50~120		
±0.12	±0.15	±0.3	±0.5		

DRWN BY PAN

CHK'D BY FENG



APPR BY ZHAN


WaterproofIP67 D-sub Hood (Apply to DB DP DR 9P
 15P 25P 37P / HDB HDP HDR 15P 26P 44P 62P)

THIRD ANGLE PROJECTION




RHTAY29

1	2	3	4	5	6	7	8	9																																																																							
A									A																																																																						
B									B																																																																						
C									C																																																																						
D									D																																																																						
E	<table><thead><tr><th colspan="6">Plastic nuts</th></tr><tr><th>ITEM</th><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th></tr></thead><tbody><tr><td>9PIN</td><td>14.60</td><td>13.50</td><td>12.80</td><td>M12×1.25</td><td>6.85</td></tr><tr><td>15PIN</td><td>15.20</td><td>13.80</td><td>12.80</td><td>M13×1.25</td><td>7.50</td></tr><tr><td>25PIN</td><td>16.30</td><td>14.30</td><td>12.80</td><td>M14×1.25</td><td>8.90</td></tr><tr><td>37PIN</td><td>17.30</td><td>15.30</td><td>12.80</td><td>M15×1.25</td><td>9.85</td></tr><tr><td>50PIN</td><td>21.80</td><td>20.60</td><td>12.80</td><td>M18×1.25</td><td>11.65</td></tr></tbody></table><table><thead><tr><th colspan="4">Soft rubber</th></tr><tr><th>ITEM</th><th>A</th><th>B</th><th>C</th></tr></thead><tbody><tr><td>9PIN</td><td>8.80</td><td>6.80</td><td>7.00</td></tr><tr><td>15PIN</td><td>9.80</td><td>7.80</td><td>7.00</td></tr><tr><td>25PIN</td><td>10.80</td><td>8.80</td><td>7.00</td></tr><tr><td>37PIN</td><td>11.80</td><td>9.80</td><td>7.00</td></tr><tr><td>50PIN</td><td>13.80</td><td>11.80</td><td>7.00</td></tr></tbody></table>								Plastic nuts						ITEM	A	B	C	D	E	9PIN	14.60	13.50	12.80	M12×1.25	6.85	15PIN	15.20	13.80	12.80	M13×1.25	7.50	25PIN	16.30	14.30	12.80	M14×1.25	8.90	37PIN	17.30	15.30	12.80	M15×1.25	9.85	50PIN	21.80	20.60	12.80	M18×1.25	11.65	Soft rubber				ITEM	A	B	C	9PIN	8.80	6.80	7.00	15PIN	9.80	7.80	7.00	25PIN	10.80	8.80	7.00	37PIN	11.80	9.80	7.00	50PIN	13.80	11.80	7.00	E
Plastic nuts																																																																															
ITEM	A	B	C	D	E																																																																										
9PIN	14.60	13.50	12.80	M12×1.25	6.85																																																																										
15PIN	15.20	13.80	12.80	M13×1.25	7.50																																																																										
25PIN	16.30	14.30	12.80	M14×1.25	8.90																																																																										
37PIN	17.30	15.30	12.80	M15×1.25	9.85																																																																										
50PIN	21.80	20.60	12.80	M18×1.25	11.65																																																																										
Soft rubber																																																																															
ITEM	A	B	C																																																																												
9PIN	8.80	6.80	7.00																																																																												
15PIN	9.80	7.80	7.00																																																																												
25PIN	10.80	8.80	7.00																																																																												
37PIN	11.80	9.80	7.00																																																																												
50PIN	13.80	11.80	7.00																																																																												
F									F																																																																						
G	 NINGBO RHT ELECTRONIC CO.,LTD			UNITS:mm	SHEET SIZE: A4	SCALE:---	DRWN BY PAN	WaterprooIP67 D-sub Hood (Apply to DB DP DR 9P 15P 25P 37P / HDB HDP HDR 15P 26P 44P 62P)																																																																							
				0~3	3~18	18~50	50~120	CHK'D BY FENG	THIRD ANGLE PROJECTION RHTAY29																																																																						
				±0.12	±0.15	±0.3	±0.5	APPR BY ZHAN																																																																							
1	2	3	4	5	6	7	8	9																																																																							



Plastic nuts					
ITEM	A	B	C	D	E
9PIN	14.60	13.50	12.80	M12×1.25	6.85
15PIN	15.20	13.80	12.80	M13×1.25	7.50
25PIN	16.30	14.30	12.80	M14×1.25	8.90
37PIN	17.30	15.30	12.80	M15×1.25	9.85
50PIN	21.80	20.60	12.80	M18×1.25	11.65

Soft rubber			
ITEM	A	B	C
9PIN	8.80	6.80	7.00
15PIN	9.80	7.80	7.00
25PIN	10.80	8.80	7.00
37PIN	11.80	9.80	7.00
50PIN	13.80	11.80	7.00



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm	SHEET SIZE: A4		SCALE:----	
0~3	3~18	18~50	50~120	
±0.12	±0.15	±0.3	±0.5	

DRWN BY PAN
CHK'D BY FENG
APPR BY ZHAN

Waterproof IP67 D-sub Hood (Apply to DB DP DR 9P 15P 25P 37P / HDB HDP HDR 15P 26P 44P 62P)	
THIRD ANGLE PROJECTION	RHTAY29

