




FUSE AND FUSE HOLDER

Cell Box Series

RE-BH-806 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26AWG

BLACK & RED: 150MM±5MM

STRIP & TIN: 5MM±1MM

MATERIAL: A. B. S. RESIN BLACK COLOR

SPRING: .6 MM 65C SPRING WIRE

DESCR.: FOR ONE "AA" CELLS

ORDER INFORMATION

Product NO.:

RE-BH-806-D

TYPE:

A:With Soldered Lug

B:With Wire L=15cm Or Other

C:With 6 Prong Snap

D:With Pin

Cell Box Series

Part Number

RHTECP NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

AAX3 OPEN BATTERY HOLDER ROHS

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION


±0.12

±0.15


±0.3


±0.5





APPR BY ZHAN



RE-BH-806-D







FUSE AND FUSE HOLDER

Cell Box Series

RE-BH-806 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26AWG

BLACK & RED: 150MM±5MM

STRIP & TIN: 5MM±1MM

MATERIAL: A. B. S. RESIN BLACK COLOR

SPRING: .6 MM 65C SPRING WIRE

DESCR.: FOR ONE "AA" CELLS

ORDER INFORMATION

Product NO.:

RE-BH-806-D

TYPE:

A:With Soldered L ug

B:With Wire L=15cm Or Other

C:With 6 Prong Snap

D:With Pin

Cell Box Series

Part Number

RHTECP NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

AAX3 OPEN BATTERY HOLDER ROHS

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION


±0.12

±0.15

±0.3

±0.5

APPR BY ZHAN



RE-BH-806-D