









SOLDER LUGS SHOWN ABOVE



WIRE:UL 1007,#26AWG
BLACK&RED: 150MM±5MM
STRIP&TIN: 5MM±1MM
MATERIAL:A. B. S. RESIN BLACK COLOR
SPRING:6 MM 65C SPRING WIRE
DESCR:FOR ONE "AA" CELLS

ORDER INFORMATION

Product NO.:RE-BH-809-A

Cell Box Series

TYPE:

A:With Soldered lug

B:With Wire L=15cm or other

C:With 6 Prong

D:With pin



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

UM-3 OR "AA" Cell Box Series

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION

±0.12

±0.15


±0.3

±0.5

APPR BY ZHAN



RE-BH-809-A



WIRE:UL 1007,#26AWG
 BLACK&RED: 150MM±5MM
 STRIP&TIN: 5MM±1MM
 MATERIAL:A. B. S. RESIN BLACK COLOR
 SPRING:6 MM 65C SPRING WIRE
 DESCR:FOR ONE "AA" CELLS

ORDER INFORMATION
 Product NO:RE-BH-809-C

Cell Box Series _____
 TYPE: _____
 A:With Soldered lug
 B:With Wire L=15cm or other
 C:With 6 Prong snap
 D:With pin



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm	SHEET SIZE: A4		SCALE:---
0~3	3~18	18~50	50~120
±0.12	±0.15	±0.3	±0.5


DRWN BY PAN

CHK'D BY FENG



APPR BY ZHAN

UM-3 OR "AA" Cell Box Series


THIRD ANGLE PROJECTION



RE-BH-809-C



PCB LAYOUT



WIRE:UL 1007,#26AWG
 BLACK&RED: 150MM±5MM
 STRIP&TIN: 5MM±1MM
 MATERIAL:A, B, S. RESIN BLACK COLOR
 SPRING:6 MM 65C SPRING WIRE
 DESCR:FOR ONE "AA" CELLS

ORDER INFORMATION
 Product NO:RE-BH-809-D

Cell Box Series
 TYPE:
 A:With Soldered lug
 B:With Wire L=15cm or other
 C:With 6 Prong snap
 D:With pin



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

UM-3 OR "AA" Cell Box Series

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION


±0.12

±0.15

±0.3

±0.5

APPR BY ZHAN



RE-BH-809-D