




WIRE:UL 1007, # 26 AWG
 BLACK&RED: 150MM±5MM
 STRIP&TIN: 5MM±1MM
 MATERIAL: A. B. S. RESIN BLACK COLOR
 SPRING: .6 MM 65C SPRING WIRE
 DESCR: FOR FOUR "AA" CELLS

ORDER INFORMATION
 Product NO:RE-BH-814-B

Cell Box Series _____
 TYPE: _____
 A:With Soldered lug
 B:With Wire L=15cm or other
 C:With 6 Prong snap



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

UM-3 OR"AA"Cell Box Series

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION


±0.12

±0.15

±0.3


±0.5

APPR BY ZHAN




RE-BH-814-B


	1	2	3	4	5	6	7	8	9
A									
B									
C									
D									
E									
F									
G	 NINGBO RHT ELECTRONIC CO.,LTD			UNITS:mm	SHEET SIZE: A4	SCALE:---	DRWN BY PAN	UM-3 OR"AA"Cell Box Series	
				0~3	3~18	18~50	50~120	CHK'D BY FENG	THIRD ANGLE PROJECTION
				±0.12	±0.15	±0.3	±0.5	APPR BY ZHAN	RE-BH-814-A
	1	2	3	4	5	6	7	8	9



WIRE:UL 1007, # 26 AWG
BLACK&RED: 150MM±5MM
STRIP&TIN: 5MM±1MM
MATERIAL: A. B. S. RESIN BLACK COLOR
SPRING: .6 MM 65C SPRING WIRE
DESCR: FOR FOUR "AA" CELLS



SOLDER LUGS SHOWN ABOVE



ORDER INFORMATION
Product NO:RE-BH-814-A

Cell Box Series _____
TYPE: _____
A:With Soldered lug
B:With Wire L=15cm or other
C:With 6 Prong snap

