




	1	2	3	4	5	6	7	8	9		
A										A	
B										B	
C										C	
D										D	
E										E	
F										F	
G	 NINGBO RHT ELECTRONIC CO.,LTD			UNITS:mm	SHEET SIZE: A4	SCALE:---	DRWN BY PAN	UM-4 OR"AAA"Cell Box Series			G
				0~3	3~18	18~50	50~120	CHK'D BY FENG	THIRD ANGLE PROJECTION	RE-BH-818-B	
				±0.12	±0.15	±0.3	±0.5	APPR BY ZHAN			
				1	2	3	4	5	6	7	





WIRE:UL 1007, # 26 AWG
BLACK&RED: 150MM±5MM
STRIP&TIN: 5MM±1MM
MATERIAL: A. B. S. RESIN BLACK COLOR
SPRING: .6 MM 65C SPRING WIRE
DESCR: FOR Two "AAA" CELLS





ORDER INFORMATION
Product NO:RE-BH-818-B

Cell Box Series
TYPE:
A:With Soldered lug
B:With Wire L=15cm or other
C:With 6 Prong
D:With Pin







PCB LAYOUT

WIRE: UL 1007, # 26 AWG
 BLACK&RED: 150MM $\pm$ 5MM
 STRIP&TIN: 5MM $\pm$ 1MM
 MATERIAL: A, B, S, RESIN BLACK COLOR
 SPRING: .6 MM 65C SPRING WIRE
 DESCR: FOR Two "AAA" CELLS

ORDER INFORMATION

Product NO: RE-BH-818-D

Cell Box Series



TYPE:

A: With Soldered lug

B: With Wire L=15cm or other

C: With 6 Prong

D: With Pin



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

UM-4 OR"AAA"Cell Box Series

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION


± 0.12

± 0.15

± 0.3

± 0.5

APPR BY ZHAN



RE-BH-818-D