





WIRE:UL 1007, # 26 AWG
 BLACK&RED: 150MM±5MM
 STRIP&TIN: 5MM±1MM
 MATERIAL: A. B. S. RESIN BLACK COLOR
 SPRING: .6 MM 65C SPRING WIRE
 DESCR: FOR ONE "AAA" CELLS

ORDER INFORMATION

Product NO.:RE-BH-817-B



Cell Box Series

TYPE:

- A:With Soldered lug
- B:With Wire L=15cm or other
- C:With 6 Prong
- D:With Pin



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm	SHEET SIZE: A4		SCALE:---
0~3	3~18	18~50	50~120
±0.12	±0.15	±0.3	±0.5


DRWN BY PAN

CHK'D BY FENG


APPR BY ZHAN

UM-4 OR"AAA"Cell Box Series


THIRD ANGLE PROJECTION



RE-BH-817-B



WIRE:UL 1007, # 26 AWG
 BLACK&RED: 150MM±5MM
 STRIP&TIN: 5MM±1MM
 MATERIAL: A. B. S. RESIN BLACK COLOR
 SPRING: .6 MM 65C SPRING WIRE
 DESCR.: FOR ONE "AAA" CELLS



ORDER INFORMATION
 Product NO.:RE-BH-817-A


Cell Box Series _____
 TYPE: _____
 A:With Soldered lug
 B:With Wire L=15cm or other
 C:With 6 Prong
 D:With Pin




NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm		SHEET SIZE: A4		SCALE:---	DRWN BY PAN
0~3	3~18	18~50	50~120	CHK'D BY FENG	
±0.12	±0.15	±0.3	±0.5	APPR BY ZHAN	

UM-4 OR"AAA"Cell Box Series



RE-BH-817-A



Material:
Base:PP
Pins:Ø0.8mm,72A Steel
Spring:Ø0.6mm,72A Steel
Rivets:62 Copper