






WIRE:UL 1007, # 26 AWG
 BLACK&RED: 150MM±5MM
 STRIP&TIN: 5MM±1MM
 MATERIAL: A. B. S. RESIN BLACK COLOR
 SPRING: .6 MM 65C SPRING WIRE
 DESCR: FOR Four "AAA" CELLS



ORDER INFORMATION

Product NO:RE-BH-821-B

Cell Box Series

TYPE:

A:With Soldered lug

B:With Wire L=15cm or other

C:With 6 Prong snap



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

UM-4 OR"AAA"Cell Box Series

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION

±0.12

±0.15




±0.3

±0.5

APPR BY ZHAN



RE-BH-821-B



WIRE:UL 1007, # 26 AWG
 BLACK&RED: 150MM±5MM
 STRIP&TIN: 5MM±1MM
 MATERIAL: A. B. S. RESIN BLACK COLOR
 SPRING: .6 MM 65C SPRING WIRE
 DESCR: FOR Four "AAA" CELLS

ORDER INFORMATION

Product NO.:RE-BH-821-A

Cell Box Series

TYPE:

A:With Soldered lug

B:With Wire L=15cm or other

C:With 6 Prong snap



NINGBO RHT ELECTRONIC CO.,LTD

UNITS:mm

SHEET SIZE: A4

SCALE:---

DRWN BY PAN

UM-4 OR"AAA"Cell Box Series

0~3

3~18

18~50

50~120

CHK'D BY FENG

THIRD ANGLE PROJECTION

±0.12

±0.15

±0.3

±0.5

APPR BY ZHAN



RE-BH-821-A

